







Measuring & Layout Tools							
Dial & Digital Calipers		026					
Laser Distance Meters		027					
Levels	*******	028					
Marking Tools	*******	029					
Rulers	******	030					
Squares	*******	031					
Tape Measures		033					

Power Tool Accessories						
Brad-Point Drill Bits		034				
Chisel Bits		035				
Forstner Bits		036				
Hole Saws & Cutters		037				
Spade Drill Bits		040				
Twist Drill Bits		041				
Impact Nut Drivers		042				
Screwdriver Bits & Holders		045				

Safety					
Anti-Slip Tapes, Treads & Stair Nosings		046			
Safety Glasses		047			
Safety Goggles		049			
Disposable Gloves		050			
General Purpose Gloves		052			
Hearing Protection		053			
Hairnets, Bouffants & Beard Nets		054			
High-Visibility Vests		055			
Boot & Shoe Covers		057			
Respiratory Protection		058			

NORTHSKY™, the NorthSky Logo, and all other trademarks, service marks and registered marks are property of NorthSky Supply Inc. or its affiliates and/or licensors, are protected by law, and may not be used without permission. NorthSky Supply reserves the right to change specifications without prior notice. All original content including images © 2025 NorthSky Supply. All Rights Reserved.



Time					· · · · · · · · · · · · · · · · · · ·					
T-1-107		T1		T6	T7-1016	029	T33-1026	038	S10-1006	046
1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-				10	T7-1017	029	T33-1027	038	S10-1003	046
T-1589					T7-1019	030	T33-1028	038	S10-1004	046
T-1586	T1-1037	004	T6-1001	012	T7-1018	030	T33-1029	038	S10-1001	046
1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	T1-1038	004	T6-1002	012	T7-1020	031	T33-1030	038	S10-1002	046
T-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	T1-1039	004	T6-1003	012	T7-1021	031	T33-1031	038	S1-111-BKS	050
1-11-14-16	T1-1040	004	T6-1004	012	T7-1022	031	T33-1032	038	S1-111-0S	050
17-18-18-	T1-1043	004	T6-1006	012	T7-1023	031	T33-1033	038	S1-111-BKM	050
17-15-16-16-16-16-16-16-16-16-16-16-16-16-16-	T1-1044	004	T6-1007	013	T7-1024	031	T33-1034	039	S1-111-0M	050
T3-1090	T1-1045	004	T6-1008	013	T7-1025	031	T33-1035	039	S1-111-BKL	050
Table   Tabl	T1-1046	004	T6-1013	014						
T1-1001	T13-1009	005	T6-1009	014	T7-1001	032	T33-1036	039	S1-111-0L	050
17.3 - 17.3 -	T13-1011	005	T6-1011	014	T7-1002	032	T33-1037	039	S1-111-BKXL	050
173-1014					T7-1003	032	T33-1038	039	S1-111-0XL	050
Th-1015	T13-1013	005	T6-1012	014	T7-1004	032	T33-1039	039	S1-111-BKXXL	050
T-1-1985	T13-1014	005	T6-1016	021	T7-1005	033	T33-1040	039	S1-111-0XXL	050
T-1-1006	T13-1015	005	T6-1020	022			T33-1041	039	S1-112-BKS	050
T1-1001	T1-1035	006	T6-1022	022			T33-1042	039		050
T1-1001	T1-1036	006	T6-1023	022			T33-1043	039	S1-112-BKM	050
T1-1002	T1-1001	007	T6-1024	023	18	,	T33-1044	039	S1-112-0M	050
T1-1992		5.000		500000						
17-1004					T9-104-165	027				
T1-1006		I			T9-104-230		T33-1046	039	S1-112-0L	051
		100000		900400		2000		2000000		
T1-1006			10 1021	525						
17-1-1097	T1-1006	007		ı						
T1-1008		00000				10.00000				
T1-1016				10.000	17 103	001				
T1-1010		95,7440		T4				0.000.000		
T1-1017			·							
T1-1012		I	T4 1001	015	T3	5				
T1-1013		4,000,000		94.5441				200000		
T1-1014					T22 1044	024	131-1031	042	31-114-BUXXL	051
T-1-1015							T01 1000	0.40	04 44E DKO	051
T1-1016		000000								
T1-1016	11-1015	007				II.				
T1-1017	T4 4044	207		010040		0,000		0.000.000		
T1-1018										
T1-109										
T1-1021				5-000		0.000		N. 1000 N. 100		
T1-1021			T4-1007	020						
Ti-1022				100000						
T1-1024					T32-1052	036				
T1-1024 008 T4-1011 020 T32-1055 036 T31-1009 043 S1-120-S 052 T32-1055 036 T31-1010 043 S1-120-M 052 T1-1026 008 T2-103 024 T32-1056 036 T31-1011 044 S1-120-M 052 T32-1057 036 T31-1011 044 S1-120-M 052 T1-1027 008 T2-1033 024 T33-1002 037 T31-1014 044 S1-120-M 052 T1-1029 008 T2-1033 024 T33-1003 037 T31-1015 044 S1-122-M 052 T1-1029 008 T2-1034 024 T33-1004 037 T31-1015 044 S1-122-M 052 T1-1031 008 T2-1034 024 T33-1004 037 T31-1015 044 S1-122-M 052 T1-1031 008 T2-1006 025 T33-1005 037 T31-1017 044 S1-122-M 052 T1-1032 008 T2-1008 025 T33-1006 037 T31-1018 044 S1-122-M 052 T1-1034 008 T2-1008 025 T33-1006 037 T31-1019 044 S1-122-M 052 T1-1034 008 T2-1008 025 T33-1006 037 T31-1019 044 S1-122-M 052 T1-1034 008 T2-1008 025 T33-1006 037 T31-1019 044 S1-122-M 052 T1-1034 008 T2-1008 025 T33-1006 037 T31-1020 044 S1-122-M 052 T33-1006 037 T31-1020 044 S1-120-M 052 T33-1006 037 T31-1020 044 S1-100-M 052 S1-1	T1-1022	008	T4-1009	020			T31-1008	043	S1-113-BUXXL	051
T1-1025	T1-1023	008	T4-1010	020	T32-1053	036				
T1-1026 008			T4-1011	020		036			S1-120-S	
T1-1026	T1-1025	008				036				
T1-1027					T32-1056	036	T31-1011	044	S1-120-L	052
T1-1027	T1-1026	800		T2	T32-1057	036	T31-1012	044	S1-120-XL	052
T1-1029	T1-1027	800		35	T32-1058	036	T31-1013	044	S1-120-XXL	052
T1-1030	T1-1028	800			T33-1002	037	T31-1014	044	S1-122-S	052
T1-1031	T1-1029	008	T2-1033	024	T33-1003	037	T31-1015	044	S1-122-M	052
Ti-1032	T1-1030	008	T2-1034	024	T33-1004	037	T31-1016	044	S1-122-L	052
T1-1033	T1-1031	008	T2-1006	025	T33-1005	037	T31-1017	044	\$1-122-XL	052
T1-1034 008 T2-1009 025 T33-1007 037 T31-1019 044  T11-1002 011 T2-1010 025 T33-1008 037 T31-1020 044  T11-1003 011 T2-1016 025 T33-1010 037 T31-1021 044  T11-1004 011 T2-1017 025 T33-1011 037 T31-1023 044  T11-1006 011 T2-1018 025 T33-1011 037 T31-1023 044  T11-1007 011 T2-1018 025 T33-1013 038 T31-1025 044 S3-101-CBX 047  T11-1005 011 T2-1032 025 T33-1014 038 T31-1025 044 S3-101-CBX 047  T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-AM 047  T33-1016 038 T31-1027 044 S3-101-BM 047  T33-1016 038 T31-1028 044 S3-101-BM 047  T33-1016 038 T31-1028 044 S3-101-C 047  T33-1016 038 T31-1028 044 S3-101-BM 047  T33-1016 038 T31-1049 044 S3-109-CBK 047  T33-1005 009 T7-1026 026 T33-1019 038 T31-1049 044 S3-109-CBK 047  T5-1006 009 T7-1027 026 T33-1020 038  T5-1007 009 T7-1028 026 T33-1020 038  T5-1009 010 T7-1029 026 T33-1022 038  T5-1010 010 T7-1009 028 T33-1023 038  T5-1011 010 T7-1009 028 T33-1023 038	T1-1032	008	T2-1007	025			T31-1018	044	\$1-122-XXL	052
T11-1002 011 T2-1010 025 T33-1008 037 T31-1020 044 T11-1003 011 T2-1016 025 T33-1010 037 T31-1021 044 T11-1004 011 T2-1017 025 T33-1011 037 T31-1022 044 T11-1006 011 T2-1018 025 T33-1012 038 T31-1024 044 S3-101-C 047 T11-1007 011 T2-1018 025 T33-1013 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1025 044 S3-101-CBX 047 T33-1015 038 T31-1026 044 S3-101-SM 047 T33-1015 038 T31-1027 044 S3-101-SM 047 T33-1016 038 T31-1028 044 S3-101-CBX 047 T33-1016 038 T31-1028 044 S3-101-CBX 047 T33-1016 038 T31-1029 044 S3-101-CBX 047 T33-1016 038 T31-1029 044 S3-101-CBX 047 T33-1016 038 T31-1029 044 S3-101-CBX 047 T33-1016 038 T31-1049 044 S3-101-CBX 047 T33-1016 038 T31-1049 044 S3-109-CBK 047 T5-1006 009 T7-1026 026 T33-1019 038 T31-1049 044 S3-109-CBK 047 T5-1006 009 T7-1027 026 T33-1020 038 T5-1007 009 T7-1028 026 T33-1020 038 T5-1009 010 T7-1029 026 T33-1022 038 T5-1010 010 T7-1007 028 T33-1023 038 T5-1010 010 T7-1009 028 T33-1024 038 T5-1011 010 T7-1009 028 T33-1024 038	T1-1033	008	T2-1008	025	T33-1006	037				
T2-1015 025 T33-1009 037 T31-1021 044 T11-1003 011 T2-1016 025 T33-1010 037 T31-1022 044 T11-1004 011 T2-1017 025 T33-1011 037 T31-1023 044 T11-1006 011 T2-1018 025 T33-1012 038 T31-1024 044 S3-101-C 047 T11-1007 011 T2-1018 025 T33-1014 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-CBX 047 T33-1015 038 T31-1026 044 S3-101-MM 047 T33-1015 038 T31-1027 044 S3-101-MM 047 T33-1016 038 T31-1028 044 S3-101-M 047 T33-1018 038 T31-1048 045 S3-108-C 047 T33-1016 038 T31-1048 045 S3-108-C 047 T33-1016 038 T31-1049 044 S3-109-CBK 047 T5-1005 009 T7-1026 026 T33-1019 038 T32-1061 045 S3-109-CBK 047 T5-1007 009 T7-1028 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1021 038 T5-1010 010 T7-1009 028 T33-1023 038 T5-1011 010 T7-1009 028 T33-1024 038 T3-1021 038 T3-1022 038 T3-1022 038 T3-1023 038 T3-1024 038 T3-1025 038 T3-1026 044 T5-1017 050 050 T3-1029 026 T33-1021 038 T3-1017 050 050 T3-1029 026 T33-1	T1-1034	008	T2-1009	025	T33-1007	037	T31-1019	044		
T2-1015 025 T33-1009 037 T31-1021 044 T11-1003 011 T2-1016 025 T33-1010 037 T31-1022 044 T11-1004 011 T2-1017 025 T33-1011 037 T31-1023 044 T11-1006 011 T2-1018 025 T33-1012 038 T31-1024 044 S3-101-C 047 T11-1007 011 T2-1018 025 T33-1014 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-SM 047 T33-1015 038 T31-1027 044 S3-101-SM 047 T33-1015 038 T31-1028 044 S3-101-SM 047 T31-1028 044 S3-101-C 047 T31-1028 044 S3-101-CBX 047	T11-1002	011	T2-1010	025	T33-1008	037	T31-1020	044		
T11-1003 011 T2-1016 025 T33-1010 037 T31-1022 044 T11-1004 011 T2-1017 025 T33-1011 037 T31-1023 044 T11-1006 011 T2-1018 025 T33-1013 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-MM 047 T33-1015 038 T31-1027 044 S3-101-MM 047 T33-1016 038 T31-1028 044 S3-101-10 047 T33-1016 038 T31-1028 044 S3-101-10 047 T33-1016 038 T31-1028 044 S3-101-CBX 047 T33-1017 038 T31-1048 045 S3-109-CBK 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T5-1005 009 T7-1026 026 T33-1019 038 T32-1061 045 S3-109-CBU 047 T5-1007 009 T7-1028 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1021 038 T5-1010 010 T7-1009 028 T33-1023 038 T5-1011 010 T7-1009 028 T33-1024 038 T3-101-CBX 044 S3-101-CBX 044 S3-101-CBX 047 S3-101-CBX 047 S3-101-CBX 047 S3-101-CBX 047 S3-101-CBX 047 S3-101-CBX 047 S3-109-CBK 048			T2-1015	025		037		044	0.7	
T11-1004 011 T2-1017 025 T33-1011 037 T31-1023 044 T11-1006 011 T2-1018 025 T33-1013 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-AM 047 T11-1005 011 T2-1032 025 T33-1015 038 T31-1026 044 S3-101-AM 047 T33-1015 038 T31-1027 044 S3-101-M 047 T33-1015 038 T31-1028 044 S3-101-10 047 T33-1016 038 T31-1028 044 S3-101-10 047 T33-1018 038 T31-1048 045 S3-109-CBK 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T33-1016 038 T31-1049 044 S3-109-CBK 047 T33-1016 038 T31-1049 044 S3-109-CBK 047 T33-1016 038 T31-1049 044 S3-109-CBK 047 T5-1005 009 T7-1026 026 T33-1020 038 T32-1061 045 S3-109-CBU 047 T5-1007 009 T7-1028 026 T33-1021 038 T31-1049 044 S3-109-CBU 047 T5-1007 010 T7-1029 026 T33-1021 038 T31-1049 045 S3-109-CBU 047 T5-1009 010 T7-1029 026 T33-1021 038 T31-1049 045 S3-109-CBU 047 T5-1009 010 T7-1029 026 T33-1022 038 T31-1048 048 S3-101-CBK 048 T5-1011 010 T7-1009 028 T33-1023 038 S3-109-CBK 048 S3-101-CBK 048 S3-101-CBK 048	T11-1003	011							\$3	
T11-1006 011		011		025		037	T31-1023	044		
T11-1007 011 T2-1018 025 T33-1013 038 T31-1025 044 S3-101-CBX 047 T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-AM 047 T33-1015 038 T31-1027 044 S3-101-SM 047 T31-1028 044 S3-101-SM 047 T31-1028 044 S3-101-CD 047 T33-1016 038 T31-1028 044 S3-101-CD 047 T33-1017 038 T31-1048 045 S3-108-C 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T3-1006 009 T7-1027 026 T33-1020 038 T31-1049 044 S3-109-CBU 047 T5-1006 009 T7-1028 026 T33-1020 038 T31-1049 044 S3-109-CBU 047 T5-1009 010 T7-1028 026 T33-1021 038 T5-1010 010 T7-1029 026 T33-1022 038 T31-1049 040 S3-109-CBK 048 T5-1010 010 T7-1009 028 T33-1023 038 S3-109-CBK 048 S3-109-CBK 048 T5-1011 010 T7-1009 028 T33-1024 038 S3-109-CBK 048 S3-111-CBK 048		20000		-					S3-101-C	047
T11-1005 011 T2-1032 025 T33-1014 038 T31-1026 044 S3-101-AM 047 T33-1015 038 T31-1027 044 S3-101-SM 047 T31-1028 044 S3-101-SM 047 T31-1028 044 S3-101-IO 047 S3-107-C 047 T33-1016 038 T31-1048 045 S3-108-C 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T35-1006 009 T7-1026 026 T33-1020 038 T32-1061 045 S3-109-CB 048 T5-1007 009 T7-1028 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1022 038 T31-1048 S3-109-CBK 048 T5-1010 010 T7-1009 028 T33-1023 038 S3-109-CBK 048 T5-1011 010 T7-1009 028 T33-1024 038 S3-111-CBK 048			T2-1018	025						
T33-1015 038 T31-1027 044 S3-101-SM 047 T31-1028 044 S3-101-SM 047 T31-1028 044 S3-101-C 047 T31-1028 044 S3-101-C 047 T33-1016 038 T31-1048 045 S3-108-C 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T35-1006 009 T7-1027 026 T33-1020 038 T32-1061 045 S3-109-CBU 047 T3-1007 009 T7-1028 026 T33-1021 038 T31-1049 040 S3-109-CBU 047 T3-1009 010 T7-1029 026 T33-1021 038 S3-109-CB 048 T3-1010 010 T7-1029 026 T33-1022 038 S1 S3-109-CBK 048 T3-1010 010 T7-1009 028 T33-1023 038 S3-109-CBK 048 T3-1011 010 T7-1009 028 T33-1024 038 S3-111-CBK 048				I						
T5-1005 009 T7-1026 026 T33-1021 038 T3-1061 038 T3-1061 045 S3-107-C 047 T5-1007 009 T7-1028 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1022 038 T5-1010 010 T7-1007 028 T33-1023 038 T31-108 044 S3-109-CBK 047 T5-1010 010 T7-1009 028 T33-1021 038 T5-1011 010 T7-1009 028 T33-1024 038 T31-1028 044 S3-101-10 047 S3-101-10 047 S3-101-10 047 S3-101-10 047 S3-109-CBK 047 S3-109-CBU 047 S3-109-CBU 047 S3-109-CBU 047 S3-109-CBU 048 S3-111-CBK 048	111 1000	011	12 1002	020						
T5					100-1010	030				
T33-1017 038 T31-1048 045 S3-108-C 047 T33-1018 038 T31-1049 044 S3-109-CBK 047 T5-1005 009 T7-1026 026 T33-1019 038 T32-1061 045 S3-109-CBU 047 T5-1006 009 T7-1027 026 T33-1020 038 T5-1007 009 T7-1028 026 T33-1021 038 T5-109 010 T7-1029 026 T33-1022 038 T5-1010 010 T7-1007 028 T33-1023 038 T5-1011 010 T7-1009 028 T33-1024 038 T5-1011 010 T7-1009 028 T33-1024 038 T31-1048 045 S3-108-C 047 T31-1048 045 S3-109-CBK 047 T31-1048 045 S3-109-CBK 047 T31-1048 045 S3-109-CBK 047 T31-1048 045 S3-109-CBK 047 T33-1025 038 T31-1048 045 S3-109-CBK 047 T33-1026 038 T31-1048 045 S3-109-CBK 047 T33-1026 038 T31-1049 044 S3-109-CBK 048 T31-1049 044 S3-109-CBK 047 T31-1049 044 S3-109-CBK 047 T31-1049 044 S3-109-CBK 048 T31-1049 044 S3-109-CBK 047 T31-1049 044 S3-109-CBK 048 T31-1048 045 S3-109-CBK 048 T31-1048 048				20.000	T22-1016	020	131-1028	044		
T5-1005 009 T7-1026 026 T33-1019 038 T31-1049 044 S3-109-CBK 047 T5-1006 009 T7-1027 026 T33-1020 038 T5-1007 009 T7-1028 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1022 038 T5-1010 010 T7-1007 028 T33-1023 038 T5-1011 010 T7-1009 028 T33-1024 038 S3-109-CBK 048 T5-1011 010 T7-1009 028 T33-1024 038 S3-109-CBK 048 T5-1011 010 T7-1009 028 T33-1024 038 S3-111-CBK 048		T5		T7			T01 1040	045		
T5-1005         009         T7-1026         026         T33-1019         038         T32-1061         045         S3-109-CBU         047           T5-1006         009         T7-1027         026         T33-1020         038         S3-109-CR         048           T5-1007         009         T7-1028         026         T33-1021         038         S3-109-CR         048           T5-1009         010         T7-1029         026         T33-1022         038         S1         S3-109-SMBK         048           T5-1010         010         T7-1007         028         T33-1023         038         S1         S3-109-IOBK         048           T5-1011         010         T7-1009         028         T33-1024         038         S3-111-CBK         048										
T5-1006         009         T7-1027         026         T33-1020         038         S3-109-CR         048           T5-1007         009         T7-1028         026         T33-1021         038         S3-109-CR         048           T5-1009         010         T7-1029         026         T33-1022         038         S1         S3-109-SMBK         048           T5-1010         010         T7-1007         028         T33-1023         038         S1         S3-109-IOBK         048           T5-1011         010         T7-1009         028         T33-1024         038         S3-111-CBK         048	عددر وو	see I		sac I		0.00000		0.0000		
T5-1007 009 T7-1028 026 T33-1021 038 T5-1009 010 T7-1029 026 T33-1022 038 T5-1010 010 T7-1007 028 T33-1023 038 T5-1011 010 T7-1009 028 T33-1024 038 T5-1011 010 T7-1009 028 T33-1024 038 T5-1011 010 T7-1009 028 T33-1024 038							T32-1061	045		
T5-1009 010 T7-1029 026 T33-1022 038 S1 S3-109-SMBK 048 T5-1010 010 T7-1007 028 T33-1023 038 T5-1011 010 T7-1009 028 T33-1024 038 S3-111-CBK 048									S3-109-CR	048
T5-1010 010 T7-1007 028 T33-1023 038 S1 S3-109-IOBK 048 T5-1011 010 T7-1009 028 T33-1024 038 S3-111-CBK 048		100000		500000		100000				
T5-1010 010 T7-1007 028 T33-1023 038 S3-109-10BK 048 T5-1011 010 T7-1009 028 T33-1024 038 S3-111-CBK 048						038	S	1		
T5-1012 010 T7-1008 028 T33-1025 038 S10-1005 046 S3-111-CBU 048			T7-1009	028		038			S3-111-CBK	
	T5-1012	010			T33-1025	038	S10-1005	046		



	S3	
3-111-SMBK		048
S3-111-IOBK		048
S3-113-CBK		048
S3-114-C		048
S3-114-CBX		048
S3-119-C		049
	S2	
S2-101		053
S2-101 S2-103		053
S2-103 S2-104		053
S2-105		053
S2-102		053
	S6	
S6-105-W		054
S6-105-BU		054
S6-106-W		054
S6-101-LM		055
S6-101-OM		055
S6-101-LL		055
S6-101-0L		055
S6-101-LXL		055
S6-101-0XL		055
S6-101-LXXL		055
S6-101-0XXL		055
S6-104-LM		055
S6-104-LL		055
S6-104-LXL		055
S6-104-LXXL		055
S6-102-LM		055
S6-102-0M		055
S6-102-LL		055
S6-102-OL		055
S6-102-LXL		055
S6-102-0XL		055
S6-102-LXXL		056
S6-102-0XXL		056
	<b>S7</b>	
S7-101-BU		057
	S5	
	-00	
\$5-101		058
	10	
	10	
10087		058
10087 10088		058 058
10088		058

062

F1-102-68



# **Adjustable Wrenches & Sets**



#### **Adjustable Wrenches**

- Superior Chromium-Vanadium Steel
- Hex Jaw Design
- Clear and Accurate Readings



#### Adjustable Wrenches with Comfort Grip

- Superior Chromium-Vanadium
- Hex Jaw Design
- Comfortable & Anti-Slip Grip

Model	Brand	Overall Length	Jaw Capacity	Grip Style	Finish	Material
Adjustable Wren	ches					
T1-1037	Black Canyon	6 in	15/16 in	Standard	Chrome	Alloy Steel
T1-1038	Black Canyon	8 in	1-3/16 in	Standard	Chrome	Alloy Steel
T1-1039	Black Canyon	10 in	1-3/8 in	Standard	Chrome	Alloy Steel
T1-1040	Black Canyon	12 in	1-5/8 in	Standard	Chrome	Alloy Steel
Adjustable Wren	ches with Comfort Grip					
T1-1043	Black Canyon	6 in	15/16 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel
T1-1044	Black Canyon	8 in	1-3/16 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel
T1-1045	Black Canyon	10 in	1-3/8 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel
T1-1046	Black Canyon	12 in	1-5/8 in	Comfort & Double Dipped & Textured	Chrome	Alloy Steel



# **Clamps**



#### **Bar Clamps**

- Powerful 600 lbs Clamping Force
- Massive Capacity for Large Projects
- Cast Iron Margin Steel Durability



#### C-Clamps

- Versatile Clamping Solutions
- Portable Strength
- Secure Clamping Power

Model	Brand	Maximum Working Opening	Throat Depth	Clamping Force
Bar Clamps				
T13-1009	Black Canyon	12 in	2-3/8 in	600 lbs
T13-1011	Black Canyon	24 in	2-3/8 in	600 lbs
C-Clamps				
T13-1013	Black Canyon	3 in	2 in	1400 lbs
T13-1014	Black Canyon	4 in	2-3/8 in	1600 lbs
T13-1015	Black Canyon	6 in	3 in	2000 lbs



### **Combination Wrenches & Sets**



#### 19 Tool Metric Wrench Pouch, Black

- Designed for Wrenches
- Durable Fabric
- Enhanced Protection



#### 15 Tool SAE Wrench Pouch, Red

- Wrench Storage Design
- Durable Polyester Fabric
- Reinforced Backing

Model	Brand	Number of Pockets	Width	Length	Weight	
19 Tool Metric Wrenc	ch Pouch, Black					
T1-1035	Black Canyon	19	33-5/16 in	20-11/16 in	0.66 lb	
15 Tool SAE Wrench Pouch, Red						
T1-1036	Black Canyon	15	26-11/16 in	20-15/16 in	0.62 lb	



### **Combination Wrenches & Sets**



#### SAE 12-Point **Combination Wrenches**

- Rust-Resistant Chrome Plating
- Dual-Purpose 12-Point Box End & Hex Opening
- Optimized 15-Degree Angle &
   Offset Design



#### Metric 12-Point **Combination Wrenches**

- Rust-Resistant Chrome Plating
- Dual-Purpose 12-Point Box End & Hex Opening
- Optimized 15-Degree Angle &
   Offset Design

Model	Brand	Head Size	Head Type	Overall Length	Head Offset Angle	Opening Angle		
SAE 12-Point Combination Wrenches								
T1-1001	Black Canyon	1/4 in	Offset	4-7/8 in	15°	15°		
T1-1002	Black Canyon	9/32 in	Offset	5-1/16 in	15°	15°		
T1-1003	Black Canyon	5/16 in	Offset	5-3/8 in	15°	15°		
T1-1004	Black Canyon	11/32 in	Offset	5-7/8 in	15°	15°		
T1-1005	Black Canyon	3/8 in	Offset	5-7/8 in	15°	15°		
T1-1006	Black Canyon	7/16 in	Offset	6-5/8 in	15°	15°		
T1-1007	Black Canyon	1/2 in	Offset	7-1/16 in	15°	15°		
T1-1008	Black Canyon	9/16 in	Offset	7-5/8 in	15°	15°		
T1-1009	Black Canyon	5/8 in	Offset	8-1/8 in	15°	15°		
T1-1010	Black Canyon	11/16 in	Offset	9 in	15°	15°		
T1-1011	Black Canyon	3/4 in	Offset	9-13/16 in	15°	15°		
T1-1012	Black Canyon	13/16 in	Offset	10-11/16 in	15°	15°		
T1-1013	Black Canyon	7/8 in	Offset	11-5/8 in	15°	15°		
T1-1014	Black Canyon	15/16 in	Offset	12-1/2 in	15°	15°		
T1-1015	Black Canyon	1 in	Offset	13-3/8 in	15°	15°		
Metric 12-Point Com	bination Wrenches							
T1-1016	Black Canyon	6 mm	Offset	4-7/8 in	15°	15°		
T1-1017	Black Canyon	7 mm	Offset	5-1/16 in	15°	15°		
T1-1018	Black Canyon	8 mm	Offset	5-3/8 in	15°	15°		
T1-1019	Black Canyon	9 mm	Offset	5-7/8 in	15°	15°		



### **Combination Wrenches & Sets**

Model	Brand	Head Size	Head Type	Overall Length	Head Offset Angle	Opening Angle
T1-1020	Black Canyon	10 mm	Offset	6-5/16 in	15°	15°
T1-1021	Black Canyon	11 mm	Offset	6-5/8 in	15°	15°
T1-1022	Black Canyon	12 mm	Offset	6-7/8 in	15°	15°
T1-1023	Black Canyon	13 mm	Offset	7-1/16 in	15°	15°
T1-1024	Black Canyon	14 mm	Offset	7-5/8 in	15°	15°
T1-1025	Black Canyon	15 mm	Offset	7-7/8 in	15°	15°
T1-1026	Black Canyon	16 mm	Offset	8-1/8 in	15°	15°
T1-1027	Black Canyon	17 mm	Offset	9 in	15°	15°
T1-1028	Black Canyon	18 mm	Offset	9-7/16 in	15°	15°
T1-1029	Black Canyon	19 mm	Offset	9-13/16 in	15°	15°
T1-1030	Black Canyon	20 mm	Offset	10-1/4 in	15°	15°
T1-1031	Black Canyon	21 mm	Offset	10-11/16 in	15°	15°
T1-1032	Black Canyon	22 mm	Offset	11-5/8 in	15°	15°
T1-1033	Black Canyon	23 mm	Offset	11-5/8 in	15°	15°
T1-1034	Black Canyon	24 mm	Offset	12-1/2 in	15°	15°



### **Hammers**



#### **Ball-Peen Hammers**

- Size
- Dual-Head Design
- Comfortable Grip

Model	Brand	Head Weight	Handle Material	Face Diameter	Overall Length
Ball-Peen Hammers					
T5-1005	Black Canyon	8 oz	Fiberglass	7/8 in	12 in
T5-1006	Black Canyon	16 oz	Fiberglass	1-1/8 in	13 in
T5-1007	Black Canyon	24 oz	Fiberglass	1-3/8 in	14 in



### **Hammers**



#### **Dead Blow Hammers**

- Size
- Shock Absorption
- Gentle Yet Effective



#### Sledge Hammers

- Size
- Unique Octagonal Design
- Slip-Resistant and Shock-Absorbing

Model	Brand	Head Weight	Face Diameter	Head Material	Overall Length
Dead Blow Hammers					
T5-1009	Black Canyon	18 oz	1 in	PVC	14 in
T5-1010	Black Canyon	32 oz	2-1/8 in	PVC	14 in
T5-1011	Black Canyon	48 oz	2-3/8 in	PVC	14 in
Sledge Hammers					
T5-1012	Black Canyon	4 lb	1-1/2 in	Carbon Steel	16 in



### **Hand Saws & Blades**



#### Bi-Metal Hacksaw Blades

- Premium Bi-Metal
- Versatile Material Cutting
- Professional Precision



#### Carbon Steel Hacksaw **Blades**

- Rugged Carbon Steel Construction
- Versatile Cutting Capabilities
- Precision-Engineered Design

Model	Brand	Teeth per Inch	Blade Length	Blade Material	Blade Width	Blade Thickness
Bi-Metal Hacksaw B	lades					
T11-1002	Black Canyon	18	12 in	Bi-metal	0.5 in	0.03 in
T11-1003	Black Canyon	24	12 in	Bi-metal	0.5 in	0.03 in
T11-1004	Black Canyon	32	12 in	Bi-metal	0.5 in	0.03 in
Carbon Steel Hacksa	aw Blades					
T11-1006	Black Canyon	24	12 in	Carbon steel	0.5 in	0.03 in
T11-1007	Black Canyon	32	12 in	Carbon steel	0.5 in	0.03 in
T11-1005	Black Canyon	18	12 in	Carbon steel	0.5 in	0.03 in



### **Knives & Blades**



#### **Utility Knife, Retractable** Blade, Stainless Steel

- Superior Safety Design
- Efficient Tool-Based Blade Change
- Versatile Applications



#### **Utility Knife with String Cutter & Wire Stripper**

- Ergonomic Design
- Tool-Less Blade Change
- Premium Material



#### **Auto-Retractable Utility Knife**

- Auto-Retract
- Comfortable Ergonomic Grip
- Convenient Tool-Less Blade Change



#### Snap-Off Utility Knife

- Ergonomic Design
- Durable Blade
- Manual Retraction



#### **Box Cutters**

- Durable Construction
- Replaceable Blade
- Sharp Cutting Edge

Model	Brand	Overall Length	Blade Handle Material Material		Blade Tip
Utility Knife, Retra	ctable Blade, Stainless Steel	1			
T6-1001	Black Canyon	6.22 in	Carbon Steel	Aluminum Alloy	Standard
Utility Knife with S	tring Cutter & Wire Stripper				
T6-1002	Black Canyon	6.85 in	Carbon Steel	Zinc Alloy+ABS+TPR	Standard
Auto-Retractable	Utility Knife				
T6-1003	Black Canyon	6.54 in	Carbon Steel	Aluminum Alloy+ABS+TPR	Standard
Snap-Off Utility Kn	iife				
T6-1004	Black Canyon	6.69 in	Carbon Steel	ABS+TPR	Standard
Box Cutters					
T6-1006	Black Canyon	4.06 in	Carbon Steel	Carbon Steel	Standard



### **Knives & Blades**



#### **Concealed Blade Safety** Knife

- Sleek Plastic Casing
- Hidden Stainless Steel Blade
- No-Change Blade



#### **Concealed Blade Safety** Knife

- Concealed Blade
- Durable Blade
- Ergonomic Design

Model	Brand	Overall Length	Grip Type	Blade Material	Handle Color
Concealed Blade Safe	ety Knife				
T6-1007	Black Canyon	6.61 in	Plain	Stainless Steel	Red
Concealed Blade Safe	ety Knife				
T6-1008	Black Canyon	6.43 in	Plain	Carbon Steel	Black



### **Knives & Blades**



#### Safety Knife Replacement Blades

- High Quality Material
- Portable Packaging
- Multipurpose Use



#### **Utility Knife** Replacement Blades

- High Quality Material
- Compact and Lightweight Design
- Oil Paper Packaging



#### **Utility Knife** Replacement Blades,

- Premium Packaging for Convenience
- Standard Size
- High-Quality Material



#### **Box Cutter Replacement** Blades

- Convenient Packaging
- High-Quality Carbon Steel
- Versatile Cutting Performance

Model	Brand	Blade Length	Blade Width	Blade Thickness	Blade Material		
Safety Knife Replace	ement Blades						
T6-1013	Black Canyon	0.709 in	1.535 in	0.02 in	Carbon Steel		
Utility Knife Replacement Blades							
T6-1009	Black Canyon	0.748 in	2.323 in	0.024 in	Carbon Steel		
Utility Knife Replace	ment Blades, Blade Head, 10 Pack						
T6-1011	Black Canyon	0.709 in	3.937 in	0.02 in	Carbon Steel		
Box Cutter Replacement Blades							
T6-1012	Black Canyon	0.748 in	1.535 in	0.01 in	Carbon Steel		



# **Diagonal-Cutting Pliers**



#### **Diagonal-Cutting Pliers**

- Size
- Precision Oblique Jaw Design
- Razor-Sharp Cutting Capability

Model	Brand	Overall Length	Jaw Thickness	Jaw Length	Jaw Width	Grip Style	Tether Ready
Diagonal-Cutting Pli	ers						
T4-1001	Black Canyon	6 in	3/8 in	7/8 in	13/16 in	Comfort	No
T4-1002	Black Canyon	8 in	1/2 in	7/8 in	1-1/4 in	Comfort	No



### **Lineman's Pliers**



#### **General Purpose** Lineman's Pliers

- Size
- Your All-in-One Tool
- Precision at Your Fingertips

Model	Brand	Overall Length			Jaw Thickness	
General Purpose Lineman's Pliers						
T4-1012	Black Canyon	9-1/2 in	1-9/16 in	1-5/16 in	9/16 in	



# **Locking Pliers**



#### **Curved Jaw Locking Pliers**

- Powerful Grip
- Durable Construction
- Reliable Locking Mechanism

Model	Brand	Overall Length	Jaw Width	Jaw Thickness	Jaw Length	Grip Style	Maximum Jaw Opening
Curved Jaw Locking	g Pliers						
T4-1014	Black Canyon	7 in	5/16 in	3/8 in	1 in	Plain	1-1/2 in
T4-1013	Black Canyon	10 in	7/16 in	1/2 in	1-3/16 in	Plain	1-7/8 in



# **Long-Nose Pliers**



#### General Purpose Long-**Nose Pliers**

- Size
- Comfort Grip Handle
- High-quality Material

Model	Brand	Overall Length	Maximum Jaw Opening	Jaw Length	Tip Width	Jaw Texture
General Purpose Lon	ng-Nose Pliers					
T4-1003	Black Canyon	6 in	2 in	1-7/8 in	1/8 in	Serrated
T4-1004	Black Canyon	8 in	2-1/2 in	2-1/4 in	3/16 in	Serrated



# **Slip-Joint Pliers**



#### Slip-Joint Pliers

- Size
- Universal Grip Adaptability
- Effortless Bolt & Nut Manipulation

Model	Brand	Overall Length	Maximum Jaw Opening	Jaw Length	Grip Style	Includes Wire Cutter	Jaw Width
Slip-Joint Pliers							
T4-1005	Black Canyon	6 in	2-15/16 in	1-1/4 in	Standard Cushion	Yes	15/16 in
T4-1006	Black Canyon	8 in	3-9/16 in	1-1/2 in	Standard Cushion	Yes	1-1/4 in



# **Tongue & Groove Pliers**



#### Tongue & Groove Pliers, V-Jaw

- Versatile Jaw Design
- Superior Chromium-Vanadium
- Comfortable Dual-Dipped Handle



#### Tongue & Groove Pliers, V-Jaw, Push-Button

- Versatile Jaw Design
- Superior Chromium-Vanadium
- Comfortable Dual-Dipped Handle

Model	Brand	Overall Length	Number of Jaw Positions	Maximum Jaw Opening	Jaw Width	Jaw Length	Jaw Texture
Tongue & Groove F	Pliers, V-Jaw						
T4-1007	Black Canyon	10 in	6	2 in	7/16 in	1-1/16 in	Serrated
T4-1008	Black Canyon	12 in	7	2.75 in	7/16 in	1-1/2 in	Serrated
Tongue & Groove F	Pliers, V-Jaw, Push-Button	Adjustment					
T4-1009	Black Canyon	7 in	18	1-13/16 in	1/4 in	13/16 in	Serrated
T4-1010	Black Canyon	10 in	25	2-5/8 in	1/4 in	1 in	Serrated
T4-1011	Black Canyon	12 in	30	3-1/4 in	5/16 in	1-1/4 in	Serrated



# **Scissors, Snips & Cutting Tools**



#### Scissors

- Crafted for Accuracy
- Engineered for Longevity
- User-Friendly Grip

Model	Brand	Tip Shape	Cutting Edge Type	Handle Color	Blade Material	Cutting Capacity Type	Length of Cut
Scissors							
T6-1016	Black Canyon	Fine	Straight	Black	Stainless Steel	Leather; Fabrics	3.937 in



# **Scissors, Snips & Cutting Tools**



#### **Aviation Snips**

- Precision Straight Cuts
- Superior Cutting Capacity
- Unmatched Durability

Model	Brand	Cutting Direction	Overall Length	Blade Material	Grip Material	Cutting Length
Aviation Snips						
T6-1020	Black Canyon	Straight	10 in	Chromium-Molybdenum Steel	Plastic	0.67 in
T6-1022	Black Canyon	Right	10 in	Chromium-Molybdenum Steel	Plastic	0.67 in
T6-1023	Black Canyon	Left	10 in	Chromium-Molybdenum Steel	Plastic	0.67 in



# **Scissors, Snips & Cutting Tools**



#### **Bolt Cutters**

- Exceptional Cutting Power
- Robust and Durable
- Comfortable Grip

Model	Brand	Overall Length	For Maximum Diameter Soft Steel	For Maximum Diameter Hard Steel	Jaw Material	Handle Color
Bolt Cutters						
T6-1024	Black Canyon	14 in	1/4 in	3/16 in	CrMn	Red & Black
T6-1025	Black Canyon	18 in	5/16 in	1/4 in	CrMn	Red & Black
T6-1026	Black Canyon	24 in	3/8 in	5/16 in	CrMn	Red & Black
T6-1027	Black Canyon	30 in	7/16 in	3/8 in	CrMn	Red & Black
T6-1029	Black Canyon	36 in	1/2 in	7/16 in	CrMn	Red & Black



# **Hex & Torx Keys**



#### SAE Hex Key Set

- Excellent Design
- Crafted from High-Strength Steel
- Color-Coded for Quick Identification



#### **Metric Hex Key Set**

- Excellent Design
- Crafted from High-Strength Steel
- Color-Coded for Quick Identification

Model	Brand	Number of Pieces	Tip Size	Finish	Measurement Type
SAE Hex Key Set					
T2-1033	Black Canyon	9	1/16 in; 5/64 in; 3/32 in; 1/8 in; 5/32 in; 3/16 in; 1/4 in; 5/16 in; 3/8 in	Chrome	SAE
Metric Hex Key S	Set				
T2-1034	Black Canyon	9	1.5 mm; 2 mm; 2.5 mm; 3 mm; 4 mm; 5 mm; 6 mm; 8 mm; 10 mm	Chrome	Metric



### **Screwdrivers**



#### **Phillips Screwdrivers**

- Rugged Hard Handle for Durability
- Wide Range of Applications



#### **Slotted Screwdrivers**

- Rugged Hard Handle for Durability
- Wide Range of Applications



#### **Hand Impact Driver Set**

- Robust Construction
- High-Strength Bits
- Effortless Mode Switching

Model	Brand	Tip Size	Shank Length	Handle Material	Overall Length	Grip Style
Phillips Screwd	drivers					
T2-1006	Black Canyon	#0	2-1/2 in	Plastic	5 in	Standard
T2-1007	Black Canyon	#1	3 in	Plastic	6-1/2 in	Standard
T2-1008	Black Canyon	#2	4 in	Plastic	8-1/8 in	Standard
T2-1009	Black Canyon	#3	6 in	Plastic	10-15/16 in	Standard
T2-1010	Black Canyon	#4	8 in	Plastic	12-15/16 in	Standard
Slotted Screwd	Irivers					
T2-1015	Black Canyon	1/8 in	3 in	Thermoplastic Rubber	5-1/2 in	Standard
T2-1016	Black Canyon	1/4 in	4 in	Plastic	8-1/8 in	Standard
T2-1017	Black Canyon	5/16 in	6 in	Plastic	10-15/16 in	Standard
T2-1018	Black Canyon	3/8 in	8 in	Plastic	12-15/16 in	Standard
Hand Impact Di	river Set					
T2-1032	Black Canyon	PH1; PH2; PH3; PH4 SL5; SL6; SL9; SL9 HX4; HX5; HX6; HX8	Shankless	Alloy Steel	6-5/16 in	Non-slip



# **Dial & Digital Calipers**

#### **Dial Calipers Digital Calipers** Compact and Precise Compact and Versatile High Accuracy High Precision Digital Display Analog Display

Model	Brand	Maximum Measurement	Range	Repeatability	Jaw Depth - Upper Jaw	Includes Battery	Battery Size
Dial Calipers							
T7-1026	Black Canyon	6 in	0 in to 6 in		5/8 in	No	
T7-1027	Black Canyon	12 in	0 in to 12 in		3/4 in	No	
Digital Calipers							
T7-1028	Black Canyon	6 in; 150 mm	0 in to 6 in	0.0004 in	7/8 in	No	CR2032
T7-1029	Black Canyon	12 in; 300 mm	0 in to 12 in	0.0004 in	5/8 in	No	CR2032



### **Laser Distance Meters**



Laser Distance Meters, LCD Display, Up to 330 ft.

- Enhanced Measurement Capabilities
- Self-Calibration Function
- Single/Continuous Measurement

Model	Brand	Maximum Measuring Range	System Power of Measurement Supply		Includes Batteries	Laser Beam Color	Accuracy
Laser Distance	Meters, LCD Display	, Up to 330 ft. Range					
T9-104-165	Black Canyon	165 ft	SAE/Metric	AAA Battery * 2	Yes	Red	±(1/16 in+D*1/10000)
T9-104-230	Black Canyon	230 ft	SAE/Metric	Rechargeable Battery & USB-C Cable	No	Green	±(1/16 in+D*1/10000)
T9-104-330	Black Canyon	330 ft	SAE/Metric	AAA Battery * 2	Yes	Red	±(1/16 in+D*1/10000)



### Levels

#### **Box Levels**

- Robust Construction
- Magnetic Base
- Clear Readability

#### I-Beam Levels

- Durable I-Beam Design
- Magnetic Base

Clear Readability

Model	Brand	Overall Length	Frame Material	Vial Readability (Level)	Magnet Type
Box Levels					
T7-1007	Black Canyon	24 in	Aluminum	Top & Side Read	Strip
T7-1009	Black Canyon	48 in	Aluminum	Top & Side Read	Strip
I-Beam Levels					
T7-1008	Black Canyon	24 in	Aluminum	Top & Side Read	Strip
T7-1010	Black Canyon	48 in	Aluminum	Top & Side Read	Strip



# **Marking Tools**



#### **Marking Chalk**

- Standard Type
- Convenient Size
- Attractive Color

Model	Brand	Color	Permanence	Product Type	Capacity
Marking Chalk					
T7-1016	Black Canyon	Blue	Standard	Standard Marking Chalk	8 oz Bottle
T7-1017	Black Canyon	Red	Permanent	Permanent Marking Chalk	8 oz Bottle



### **Rulers**

....

#### Stainless Steel Rulers

- Dual Measurement System
- Ample Size
- Detailed Graduation Marks

Model	Brand	Length	System of Measurement	Width	Flexibility	Graduation Marks		
Stainless Steel Rulers								
T7-1019	Black Canyon	12 in	SAE/Metric	1-1/4 in	Rigid	1/16 in, first and last inch in 1/32, 1 mm		
T7-1018	Black Canyon	6 in	SAE/Metric	3/4 in	Rigid	1/32 in, 1 mm		



# **Squares**



#### **Rafter Angle Squares**

- Rafter Square Design
- Durable Material
- Precise Graduation Marks



#### **Combination Squares**

- Dual Measurement System
- Extended Length and Width
- Precise Graduation Marks



#### Framing Squares

- Framing and Carpenter's Square
- Practical Square Size
- Durable Aluminum Construction

Model	Brand	Square Size	Blade Size	Material	Finish	System of Measurement	Coating
Rafter Angle Sc	quares						
T7-1020	Black Canyon	7 in	No Blade	Aluminum	Polished	SAE	Powder
T7-1021	Black Canyon	12 in	No Blade	Aluminum	Polished	SAE	Powder
Combination Sc	quares						
T7-1022	Black Canyon	12 in Blade	12 in (Length)	Steel Blade & Stainless Steel Head	Polished	SAE/Metric	Head Coating—Powder
T7-1023	Black Canyon	12 in Blade	6 in (Length)	Steel Blade & Stainless Steel Head	Polished	SAE/Metric	Head Coating—Powder
Framing Square	es						
T7-1024	Black Canyon	8 in × 12 in	12 in × 2 in (L×W)	Aluminum	Polished	SAE	
T7-1025	Black Canyon	16 in × 24 in	24 in × 2 in (L×W)	Aluminum	Anodized	SAE	Black Oxide Coating



# **Tape Measures**



#### Tape Measure, Impact **Resistant ABS Case**

- Versatile Measurement System
- Accurate and Clear Markings
- User-Friendly Design



#### Tape Measure, **Rubberized Impact**

- Versatile Measurement System
- Wide and Durable Blade
- Precise Graduation Marks



#### **Long Tape Measure**

- Extended Measurement Capability
- Slim Blade Design
- Clear Graduation Marks

Model	Brand	Blade Length	Standout Length	Blade Width	Graduation Marks	Lock Type		
Tape Measure, Impact Resistant ABS Case								
T7-1001	Black Canyon	12 ft	5 ft 6-15/16 in	3/4 in	1/16 in	Manual		
Tape Measure, Rubberized Impact Resistant ABS Case								
T7-1002	Black Canyon	16 ft	8 ft 6-15/16 in	1-1/4 in	1/16 in	Manual		
T7-1003	Black Canyon	25 ft	8 ft 6-15/16 in	1-1/4 in	1/16 in	Manual		
Long Tape Measure								
T7-1004	Black Canyon	100 ft		19/32 in	1/8 in	Nonlocking		



# **Tape Measures**



#### **Distance Measuring** Wheel, Foldable

- Extensive Measuring Range
- Large Wheel Diameter
- High Precision



Model	Brand	Measuring Distance (Maximum)	Measuring Units	Wheel Circumference	Tread Material	Wheel Diameter	Precision
Distance Measur	ing Wheel, Foldable						
T7-1005	Black Canyon	99999.9 ft	Feet	3 ft 3-3/8 in	TPR	12-1/2 in	±0.5%



### **Brad-Point Drill Bits**



### 10-Piece Brad-Point Drill

- Brad-Point Tip
- 12" Extra-Long Length
- Optimized Flutes

Model	Brand	Overall Length	Shank Type	Shank Diameter	Number of Pieces
10-Piece Brad-	Point Drill Bit Set				
T32-1044	Black Canyon	12 in	Straight Round Shank	1/8 in; 9/64 in; 5/32 in; 11/64 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 7/16 in; 1/2 in	10



### **Chisel Bits**



#### 3-Piece SDS-Plus Chisel **Bit Set**

- 40CR Steel Construction
- Sandblasted Surface Treatment
- SDS-Plus Shank

Model	Brand	Shank Diameter	Head Width	Overall Length
3-Piece SDS-Plus Chisel Bit Set				
T32-1031	Black Canyon	25/64 in	Flat Chisel 3/4 in; Tile Chisel 1-1/2 in	10 in



## **Forstner Bits**



### **Forstner Bits**

- 1/4" Drill Bit Size
- Multi-tooth Flat-cut Design
- Centered Pilot Point



### Forstner Bit Set

- Various sizes
- Multi-tooth Flat-cut Design
- Centered Pilot Point

Model	Brand	Drill Bit Size	Overall Length	Shank Type	Shank Diameter
Forstner Bits					
T32-1045	Black Canyon	1/4 in	3-11/16 in	Straight	3/8 in
T32-1046	Black Canyon	3/8 in	3-11/16 in	Straight	3/8 in
T32-1047	Black Canyon	1/2 in	3-11/16 in	Straight	3/8 in
T32-1048	Black Canyon	5/8 in	3-11/16 in	Straight	3/8 in
T32-1049	Black Canyon	3/4 in	3-11/16 in	Straight	3/8 in
T32-1050	Black Canyon	7/8 in	3-11/16 in	Straight	3/8 in
T32-1051	Black Canyon	1 in	3-11/16 in	Straight	3/8 in
T32-1052	Black Canyon	1-1/8 in	3-11/16 in	Straight	3/8 in
T32-1053	Black Canyon	1-1/4 in	3-11/16 in	Straight	3/8 in
T32-1054	Black Canyon	1-3/8 in	3-11/16 in	Straight	3/8 in
T32-1055	Black Canyon	1-1/2 in	3-11/16 in	Straight	3/8 in
T32-1056	Black Canyon	1-5/8 in	3-11/16 in	Straight	3/8 in
T32-1057	Black Canyon	2 in	3-11/16 in	Straight	3/8 in
Forstner Bit Set					
T32-1058	Black Canyon	(2) 1/4 in; 3/8 in; 1/2 in; 5/8 in; 3/4 in; 7/8 in; 1 in; 1-1/8 in; 1-1/4 in; 1-3/8 in; 1-1/2 in; 1-5/8 in; 2 in	3-11/16 in	Straight	3/8 in



## **Hole Saws & Cutters**



### **Carbide Core Bit Set**

- Size Range
- Carbide-Tipped Cutting Teeth
- SDS-Plus & SDS-Max Shanks



### **Diamond Core Bit Set**

- Wide Range of Sizes
- Premium Diamond Tipped
- Dry Drilling



### **Diamond Hole Saws**

- 5/8"-11 UNC Thread
- Superior Technology
- Efficient Design



#### Carbide Hole Saw Kit

- Advanced Design
- Premium Materials
- Versatile Applications



### **Carbide Hole Cutter Kit**

- Premium Quality
- Efficient Design
- Protective Feature



#### **Carbide Hole Saws**

- Advanced Design
- Premium Materials
- Versatile Applications



### **Carbide Hole Cutters**

- Premium Quality
- Efficient Design
- Protective Feature

Model	Brand	Saw Shank Overall Dia. Type Length		Shank Diameter	Number of Teeth	Thread Size	
Carbide Core B	it Set						
T33-1002	Black Canyon	1-3/16 in; 1-9/16 in; 2-9/16 in; 3-1/8 in; 4 in	SDS-Plus; SDS-Max	2-3/4 in	25/64 in; 45/64 in	4; 5; 8; 10; 12	M22
Diamond Core	Bit Set						
T33-1003	Black Canyon	(2) 3/16 in; (2) 1/4 in; (2) 5/16 in; 3/8 in; 1/2 in	Straight Round Shank	2-9/16 in	1/6 in; 3/14 in; 2/7 in; 1/3 in	No	No
Diamond Hole S	Saws						
T33-1004	Black Canyon	1/4 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1005	Black Canyon	5/16 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1006	Black Canyon	3/8 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1007	Black Canyon	1/2 in	Shankless	2-3/8 in	Shankless	No	5/8"-11 UNC
T33-1008	Black Canyon	5/8 in	Shankless	2-3/8 in	Shankless	2	5/8"-11 UNC
T33-1009	Black Canyon	3/4 in	Shankless	2-3/8 in	Shankless	2	5/8"-11 UNC
T33-1010	Black Canyon	1 in	Shankless	2-3/8 in	Shankless	3	5/8"-11 UNC
T33-1011	Black Canyon	1-1/8 in	Shankless	2-3/8 in	Shankless	4	5/8"-11 UNC



## **Hole Saws & Cutters**

Model	Brand	Saw Dia.	Shank Type	Overall Length	Shank Diameter	Number of Teeth	Thread Size
T33-1012	Black Canyon	1-1/4 in	Shankless	2-3/8 in	Shankless	4	5/8"-11 UNC
T33-1013	Black Canyon	1-3/8 in	Shankless	2-3/8 in	Shankless	4	5/8"-11 UNC
T33-1014	Black Canyon	1-1/2 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1015	Black Canyon	1-3/4 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1016	Black Canyon	2 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1017	Black Canyon	2-1/2 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
T33-1018	Black Canyon	3 in	Shankless	2-3/8 in	Shankless	6	5/8"-11 UNC
Carbide Hole Sa	aw Kit						
T33-1019	Black Canyon	5/8 in; 3/4 in; 7/8 in; 1 in; 1-1/8 in; 1-1/4 in; 1-3/8 in; 1-3/4 in; 2 in; 2-1/8 in	3-Flat	3-7/10 in	3/8 in	4; 6; 9	No
Carbide Hole C	utter Kit						
T33-1020	Black Canyon	7/8 in; 1-1/8 in;1-3/8 in	3-Flat	3-1/4 in	3/8 in	6; 6; 8	No
Carbide Hole Sa	aws						
T33-1021	Black Canyon	3/4 in	3-Flat	3-7/10 in	3/8 in	4	No
T33-1022	Black Canyon	7/8 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1023	Black Canyon	1 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1024	Black Canyon	1-1/8 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1025	Black Canyon	1-7/32 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1026	Black Canyon	1-1/4 in	3-Flat	3-7/10 in	3/8 in	6	No
T33-1027	Black Canyon	1-3/8 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1028	Black Canyon	1-1/2 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1029	Black Canyon	1-3/4 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1030	Black Canyon	2 in	3-Flat	3-7/10 in	3/8 in	9	No
T33-1031	Black Canyon	2-1/2 in	3-Flat	3-7/10 in	3/8 in	12	No
T33-1032	Black Canyon	3 in	3-Flat	3-7/10 in	3/8 in	12	No
T33-1033	Black Canyon	3-1/2 in	3-Flat	3-9/10 in	3/8 in	15	No



## **Hole Saws & Cutters**

Model	Brand	Saw Dia.	Shank Type	Overall Length	Shank Diameter	Number of Teeth	Thread Size
T33-1034	Black Canyon	4 in	3-Flat	3-9/10 in	3/8 in	18	No
T33-1035	Black Canyon	4-1/2 in	3-Flat	3-9/10 in	15/32 in	18	No
Carbide Hole Cutters							
T33-1036	Black Canyon	3/4 in	3-Flat	3-1/4 in	3/8 in	4	No
T33-1037	Black Canyon	7/8 in	3-Flat	3-1/4 in	3/8 in	4	No
T33-1038	Black Canyon	1 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1039	Black Canyon	1-1/8 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1040	Black Canyon	1-7/32 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1041	Black Canyon	1-1/4 in	3-Flat	3-1/4 in	3/8 in	6	No
T33-1042	Black Canyon	1-3/8 in	3-Flat	3-1/4 in	3/8 in	8	No
T33-1043	Black Canyon	1-1/2 in	3-Flat	3-1/4 in	3/8 in	8	No
T33-1044	Black Canyon	1-3/4 in	3-Flat	3-1/4 in	3/8 in	10	No
T33-1045	Black Canyon	2 in	3-Flat	3-1/4 in	3/8 in	10	No
T33-1046	Black Canyon	2-1/2 in	3-Flat	3-1/4 in	3/8 in	12	No
T33-1047	Black Canyon	3 in	3-Flat	3-1/4 in	1/2 in	14	No
T33-1048	Black Canyon	3-1/2 in	3-Flat	3-1/4 in	1/2 in	18	No
T33-1049	Black Canyon	4 in	3-Flat	3-1/4 in	1/2 in	20	No
T33-1050	Black Canyon	4-1/2 in	3-Flat	3-1/4 in	1/2 in	22	No



# **Spade Drill Bits**



## 13-Piece Spade Bit Set

- Various Sizes
- Spade-Like Design
- Double Cutting Spurs

Model	Brand	Material	Finish	Drill Bit Size	Overall Length	Hex
13-Piece Spade	Bit Set					
T32-1059	Black Canyon	High Carbon Steel	Sandblasting Corrosion Resisitan Finish	1/4 in; 5/16 in; 3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1 in	6 in	1/4 in



## **Twist Drill Bits**



### 15-Piece HSS Twist Drill **Bit Set**

- Various sizes
- Superior Materials
- Precision Grinding

Model	Brand	Drill Bit Size	Shank Hex Size	Number of Drill Bits	_	Shank Type
15-Piece HSS T	wist Drill Bit Set					
T32-1060	Black Canyon	1/16 in; 5/64 in; 3/32 in; 7/64 in; 1/8 in; 9/64 in; 5/32 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 3/8 in	1/4 in	15	Right Hand	Hex



# **Impact Nut Drivers**



SAE Impact Nut Drivers, 1-7/8 in Length

- 1/4" Hex Insertion
- Quality Material
- Corrosion Resistance



**Metric Impact Nut** Drivers, 1-7/8 in Length

- 8 mm Hex Insertion
- Quality Material
- Corrosion Resistance

Model	Brand	Fastening Size	Shank Size	Overall Length
SAE Impact Nut Drivers, 1	l-7/8 in Length			
T31-1029	Black Canyon	1/4 in	1/4 in	1-7/8 in
T31-1030	Black Canyon	5/16 in	1/4 in	1-7/8 in
T31-1031	Black Canyon	3/8 in	1/4 in	1-7/8 in
T31-1033	Black Canyon	1/2 in	1/4 in	1-7/8 in
Metric Impact Nut Driver	s, 1-7/8 in Length			
T31-1052	Black Canyon	8 mm	1/4 in	1-7/8 in



# **Screwdriver Bits & Holders**



### 1 in Phillips Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



#### 1 in Torx Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



#### 1 in Square Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 1 in Slotted Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 2 in Phillips Impact Screwdriver Bits

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 2 in Torx Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



#### 2 in Square Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### 2 in Slotted Impact **Screwdriver Bits**

- Universal Compatibility
- Quality Material
- Corrosion Resistance



### **Magnetic Drive Guide**

- 1/4" Hex Shank
- Self-Retracting Sleeve
- Magnetic Tip

Model	Brand	Fastening Size	Shank Size	Overall Length
1 in Phillips Impact Screw	driver Bits			
T31-1003	Black Canyon	Philips PH1	1/4 in	1 in
T31-1001	Black Canyon	Philips PH2	1/4 in	1 in
T31-1002	Black Canyon	Philips PH3	1/4 in	1 in
1 in Torx Impact Screwdri	ver Bits			
T31-1004	Black Canyon	Torx T15	1/4 in	1 in
T31-1005	Black Canyon	Torx T20	1/4 in	1 in
T31-1006	Black Canyon	Torx T25	1/4 in	1 in
T31-1007	Black Canyon	Torx T27	1/4 in	1 in
T31-1008	Black Canyon	Torx T30	1/4 in	1 in
T31-1009	Black Canyon	Torx T40	1/4 in	1 in
1 in Square Impact Screw	driver Bits			
T31-1010	Black Canyon	Square SQ1	1/4 in	1 in



# **Screwdriver Bits & Holders**

Model	Brand	Fastening Size	Shank Size	Overall Length
T31-1011	Black Canyon	Square SQ2	1/4 in	1 in
T31-1012	Black Canyon	Square SQ3	1/4 in	1 in
1 in Slotted Impact Scre	ewdriver Bits			
T31-1013	Black Canyon	Slotted SL8	1/4 in	1 in
T31-1014	Black Canyon	Slotted SL10	1/4 in	1 in
2 in Phillips Impact Scr	ewdriver Bits			
T31-1015	Black Canyon	Philips PH2	1/4 in	2 in
T31-1016	Black Canyon	Philips PH3	1/4 in	2 in
T31-1017	Black Canyon	Philips PH1	1/4 in	2 in
2 in Torx Impact Screw	rdriver Bits			
T31-1018	Black Canyon	Torx T15	1/4 in	2 in
T31-1019	Black Canyon	Torx T20	1/4 in	2 in
T31-1020	Black Canyon	Torx T25	1/4 in	2 in
T31-1021	Black Canyon	Torx T27	1/4 in	2 in
T31-1022	Black Canyon	Torx T30	1/4 in	2 in
T31-1023	Black Canyon	Torx T40	1/4 in	2 in
2 in Square Impact Scr	ewdriver Bits			
T31-1024	Black Canyon	Square SQ1	1/4 in	2 in
T31-1025	Black Canyon	Square SQ2	1/4 in	2 in
T31-1026	Black Canyon	Square SQ3	1/4 in	2 in
2 in Slotted Impact Scr	ewdriver Bits			
T31-1027	Black Canyon	Slotted SL8	1/4 in	2 in
T31-1028	Black Canyon	Slotted SL10	1/4 in	2 in
Magnetic Drive Guide				
T31-1049	Black Canyon	No	1/4 in	3 in



# **Screwdriver Bits & Holders**



### **Magnetic Bit Holder**

- 1/4" Hex Shank
- Magnetic Tip
- Corrosion Resistance



### **Screwdriver Bit Set**

- Comprehensive and versatile
- Hex shank compatibility
- High-quality materials

Model  Magnetic Bit Ho	Brand	Overall Length		Fastening Tool Tip Size	Includes	Shank Style	Fastening Tool Item
T31-1048	Black Canyon	3 in	1/4 in		Magnetic Bit Holder	Hex	Bit Holder
Screwdriver Bi	t Set						
T32-1061	Black Canyon	1 in; 2 in	1/4 in	PH1; PH2; PH3; SL8; SL10; SQ1; SQ2; SQ3; T15; T20; T25; H1/8;	"(22) 1 in Screwdriver Bits: Philips; Square; Hex; Slotted; Torx (11) 2 in Magnetic Screwdriver Bits: Philips; Square; Slotted; Torx (3) Twist Drill Bits: 1/8 in; 3/16 in; 1/4 in (3)	Hex	Screwdriver Bit Set



# **Anti-Slip Tapes, Treads & Stair Nosings**



### **Medium Traffic Anti-Slip** Tape, Black/Yellow

- 2 Inch Wide x 60 Feet Long
- Premium Material
- 60 Grit Traction



### **Heavy Traffic Anti-Slip** Tape, Black

- 4 Inch Wide x 60 Feet Long
- Premium Material
- 45 Grit Traction



### **Medium Traffic Anti-Slip** Tape, Black

- 4 Inch Wide x 60 Feet Long
- Premium Material
- 60 Grit Traction

Model	Brand	Imperial Tape Width	Tape Color	Tape Thickness	Imperial Tape Length	Surface Abrasive	Tape Adhesive Material
Medium Traffic	Anti-Slip Tape, Bla	ack/Yellow					
\$10-1005	Olympia	2 in	Black/Yellow	25 mil	60 ft	Coarse	Synthetic Rubber
S10-1006	Olympia	4 in	Black/Yellow	25 mil	60 ft	Coarse	Synthetic Rubber
Heavy Traffic Ar	nti-Slip Tape, Blac	k					
\$10-1003	Olympia	4 in	Black	35 mil	60 ft	Very Coarse	Synthetic Rubber
\$10-1004	Olympia	6 in	Black	35 mil	60 ft	Very Coarse	Synthetic Rubber
Medium Traffic	Anti-Slip Tape, Bla	ack					
\$10-1001	Olympia	4 in	Black	25 mil	60 ft	Coarse	Synthetic Rubber
\$10-1002	Olympia	6 in	Black	25 mil	60 ft	Coarse	Synthetic Rubber



# **Safety Glasses**



### **Anti-Scratch Frameless** Safety Glasses

- Impact-resistant and scratchresistant lenses
- Ultra-light
- Widely Used



### **Anti-Scratch Frameless** Safety Glasses

- Impact-resistant and scratchresistant lenses
- Ultra-light
- Widely Used



### Anti-Scratch/Anti-Fog Frameless Safety

- Anti-Fog and scratch-resistant lenses
- Premium Lens Coating
- Ultra-light



### Anti-Scratch/Anti-Fog **Half-Frame Safety**

- Anti-Fog and scratch-resistant lenses
- Premium Lens Coating
- Ultra-light



### Anti-Scratch/Anti-Fog **Half-Frame Safety**

- Anti-Fog and scratch-resistant lenses
- Premium Lens Coating
- Ultra-light



### Anti-Scratch/Anti-Fog **Full-Frame Safety**

- Anti-Fog and scratch-resistant lenses
- Premium Lens Coating
- Ultra-light



### OTG Safety Glasses, Uncoated Lens,

- High-Quality and Lightweight Material
- Over-the-Glasses
- Full Coverage Protection

Model	Brand	Lens Color	Container Type	Arm Color	Frame Color	Eyewear Size	Padding Locations
Anti-Scratch Fr	ameless Safety	Glasses					
S3-101-C	Olympia	Clear	Regular Box	Clear	Frameless	Universal	
S3-101-CBX	Olympia	Clear	Dispenser Box	Clear	Frameless	Universal	
S3-101-AM	Olympia	Amber	Regular Box	Amber	Frameless	Universal	
S3-101-SM	Olympia	Smoke	Regular Box	Smoke	Frameless	Universal	
S3-101-IO	Olympia	I/O Light Smoke	Regular Box	Light Smoke	Frameless	Universal	
Anti-Scratch Fr	ameless Safety	Glasses					
S3-107-C	Olympia	Clear	Regular Box	Clear	Frameless	Universal	Padded Nose Piece ; Padded Arms
Anti-Scratch/A	nti-Fog Framel	ess Safety Glasses					
S3-108-C	Olympia	Clear	Regular Box	Clear	Frameless	Universal	Padded Nose Piece ; Padded Arms
Anti-Scratch/A	nti-Fog Half-Fr	ame Safety Glasses					
S3-109-CBK	Olympia	Clear	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
S3-109-CBU	Olympia	Clear	Plastic Pouch	Blue	Blue	Universal	Padded Nose Piece



# **Safety Glasses**

Model	Brand	Lens Color	Container Type	Arm Color	Frame Color	Eyewear Size	Padding Locations
S3-109-CR	Olympia	Clear	Plastic Pouch	Red	Red	Universal	Padded Nose Piece
S3-109-SMBK	Olympia	Smoke	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
S3-109-IOBK	Olympia	I/O Light Smoke	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
Anti-Scratch/An	iti-Fog Half-Fram	e Safety Glasses					
S3-111-CBK	Olympia	Clear	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
S3-111-CBU	Olympia	Clear	Plastic Pouch	Blue/Black	Blue	Universal	Padded Nose Piece
S3-111-CR	Olympia	Clear	Plastic Pouch	Red/Black	Red	Universal	Padded Nose Piece
S3-111-SMBK	Olympia	Smoke	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
S3-111-IOBK	Olympia	I/O Light Smoke	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
Anti-Scratch/An	iti-Fog Full-Frame	e Safety Glasses					
S3-113-CBK	Olympia	Clear	Plastic Pouch	Black	Black	Universal	Padded Nose Piece
OTG Safety Glass	ses, Uncoated Len	s, Wraparound Frame					
S3-114-C	Olympia	Clear	Regular Box	Clear	-	Universal	-
S3-114-CBX	Olympia	Clear	Dispenser Box	Clear	-	Universal	-



# **Safety Goggles**







Anti-Scratch

Model	Brand	Lens Color	Frame Color	Goggles Frame Style	Eyewear Size	Lens Material	Gender
Safety Goggles, A	Inti-Scratch & Anti-F	og					
S3-119-C	Olympia	Clear	Clear	Traditional	Universal	Polycarbonate	Unisex



# **Disposable Gloves**



### Disposable Nitrile Gloves, 6 mil, Diamond

- Nitrile Gloves
- Elasticity & Flexiblility
- Non-Slip Durability



### Disposable Nitrile Gloves, 8 mil, Diamond

- Nitrile Gloves
- Elasticity & Flexiblility
- Non-Slip Durability



### **Disposable Nitrile** Gloves, 6 mil, Grain

- Nitrile Gloves
- Elasticity & Flexiblility
- Powder-Free Gloves



### Disposable Nitrile Gloves, 8 mil, Grain

- Nitrile Gloves
- Elasticity & Flexiblility
- Powder-Free Gloves



### Disposable Nitrile Gloves, 4 mil, Grain

- Nitrile Gloves
- Elasticity & Flexiblility
- Powder-Free Gloves

Model	Brand	Size	Color	Coating Texture	Palm Thickness	Finger Thickness	Acceptable Quality Level (AQL)
Disposable Nitr	ile Gloves, 6	mil, Diam	ond Textu	re			
S1-111-BKS	Olympia	S/7	Black	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-0S	Olympia	S/7	Orange	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-BKM	Olympia	M/8	Black	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-0M	Olympia	M/8	Orange	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-BKL	Olympia	L/9	Black	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-0L	Olympia	L/9	Orange	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-BKXL	Olympia	XL/10	Black	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-0XL	Olympia	XL/10	Orange	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-BKXXL	Olympia	XXL/11	Black	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
S1-111-0XXL	Olympia	XXL/11	Orange	Diamond	7.87 mil (include diamond texture)	9 mil (include diamond texture)	4
Disposable Nitr	ile Gloves, 8	mil, Diam	ond Textu	re			
S1-112-BKS	Olympia	S/7	Black	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
S1-112-0S	Olympia	S/7	Orange	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
S1-112-BKM	Olympia	M/8	Black	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
S1-112-0M	Olympia	M/8	Orange	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
S1-112-BKL	Olympia	L/9	Black	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4



# **Disposable Gloves**

Model	Brand	Size	Color	Coating Texture	Palm Thickness	Finger Thickness	Acceptable Quality Level (AQL)
S1-112-0L	Olympia	L/9	Orange	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
\$1-112-BKXL	Olympia	XL/10	Black	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
\$1-112-0XL	Olympia	XL/10	Orange	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
S1-112-BKXXL	Olympia	XXL/11	Black	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
\$1-112-0XXL	Olympia	XXL/11	Orange	Diamond	8.66 mil (include diamond texture)	9.84 mil (include diamond texture)	4
Disposable Nitri	ile Gloves, 6	mil, Grain	Texture				
S1-114-BUS	Olympia	S/7	Blue	Grain	5.12 mil	6.69 mil	4
S1-114-BUM	Olympia	M/8	Blue	Grain	5.12 mil	6.69 mil	4
S1-114-BUL	Olympia	L/9	Blue	Grain	5.12 mil	6.69 mil	4
S1-114-BUXL	Olympia	XL/10	Blue	Grain	5.12 mil	6.69 mil	4
S1-114-BUXXL	Olympia	XXL/11	Blue	Grain	5.12 mil	6.69 mil	4
Disposable Nitri	le Gloves, 8	mil, Grain	Texture				
S1-115-BKS	Olympia	S/7	Black	Grain	7.48 mil	8.66 mil	4
S1-115-BKM	Olympia	M/8	Black	Grain	7.48 mil	8.66 mil	4
S1-115-BKL	Olympia	L/9	Black	Grain	7.48 mil	8.66 mil	4
S1-115-BKXL	Olympia	XL/10	Black	Grain	7.48 mil	8.66 mil	4
S1-115-BKXXL	Olympia	XXL/11	Black	Grain	7.48 mil	8.66 mil	4
Disposable Nitri	ile Gloves, 4	mil, Grain	Texture				
S1-113-BUS	Olympia	S/7	Blue	Grain	3.94 mil	4.72 mil	4
S1-113-BUM	Olympia	M/8	Blue	Grain	3.94 mil	4.72 mil	4
S1-113-BUL	Olympia	L/9	Blue	Grain	3.94 mil	4.72 mil	4
S1-113-BUXL	Olympia	XL/10	Blue	Grain	3.94 mil	4.72 mil	4
S1-113-BUXXL	Olympia	XXL/11	Blue	Grain	3.94 mil	4.72 mil	4



# **General Purpose Gloves**



### **Polyurethane Dipped** Knit Gloves, 13 ga

- Wear-Resistant
- Anti-Slip Material and Texturization



### **Polyurethane Dipped** Knit Gloves, 18 ga Nylon,

- Wear-Resistant
- Excellent Dexterity
- Anti-Slip Material and Texturization

Model	Brand	Size	Thickness (ga)	Coating Texture	ANSI/ISEA Abrasion Level	Latex-Free	Knit Material
Polyurethane Dip	pped Knit Gloves, 13	ga Polyester, Blac	k				
S1-120-S	Olympia	S/7	13 ga	Smooth	3	Yes	Polyester
S1-120-M	Olympia	M/8	13 ga	Smooth	3	Yes	Polyester
S1-120-L	Olympia	L/9	13 ga	Smooth	3	Yes	Polyester
S1-120-XL	Olympia	XL/10	13 ga	Smooth	3	Yes	Polyester
S1-120-XXL	Olympia	XXL/11	13 ga	Smooth	3	Yes	Polyester
Polyurethane Dip	pped Knit Gloves, 18	ga Nylon, Blue/Gra	у				
S1-122-S	Olympia	S/7	18 ga	Smooth	3	Yes	Nylon
S1-122-M	Olympia	M/8	18 ga	Smooth	3	Yes	Nylon
S1-122-L	Olympia	L/9	18 ga	Smooth	3	Yes	Nylon
S1-122-XL	Olympia	XL/10	18 ga	Smooth	3	Yes	Nylon
\$1-122-XXL	Olympia	XXL/11	18 ga	Smooth	3	Yes	Nylon



# **Hearing Protection**



### **Bullet-Shaped** Disposable Earplugs,

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry



### **Bullet-Shaped** Disposable Earplugs,

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry



### **Bell-Shaped Disposable** Earplugs, Uncorded

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry





### **Bell-Shaped Disposable** Earplugs, Corded

- Effective Noise Reduction
- All-Day Comfortable Fit
- Easy to Carry



### **Bullet-Shaped** Disposable Earplugs,

- Effective Noise Reduction
- All-Day Comfortable Fit
- Disposable & Hygienic

Model	Brand	Noise Reduction Rating (NRR)	Insertion Method	Earplug Color	Reusability	Metal-Detectable	Size
Bullet-Shaped	Disposable Earplug	s, Uncorded					
S2-101	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal
Bullet-Shaped	Disposable Earplug	s, Corded					
S2-103	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal
Bell-Shaped Dis	sposable Earplugs,	Uncorded					
S2-104	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal
Bell-Shaped Dis	sposable Earplugs,	Corded					
S2-105	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal
Bullet-Shaped	Disposable Earplug	s, Uncorded					
S2-102	Olympia	32 dB	Roll-Down	Orange	Disposable	No	Universal



# **Hairnets, Bouffants & Beard Nets**



### Disposable Bouffant Caps

- Hygienic Hair Protection
- Generous Size
- Classic White Design



### **Disposable Beard Net** Covers

- Hygienic Beard Protection
- Generous Size
- Classic White Design

Model	Brand	Color	Style	Latex-Free	Diameter	Size	Material
Disposable Bouffar	nt Caps						
S6-105-W	NorthSky Select	White	Flat	No	21"	Universal	Polypropylene
S6-105-BU	NorthSky Select	Blue	Flat	No	21"	Universal	Polypropylene
Disposable Beard N	let Covers						
S6-106-W	NorthSky Select	White	Head Strap	No	18"	Universal	Polypropylene



# **High-Visibility Vests**



High-Visibility Vest, Mesh Polyester, Zipper

- ANSI Type R, Class 2
- U-Back Stripe Pattern
- Mesh Polyester Material



High-Visibility Vest, Mesh Polyester, Hook

- ANSI Type R, Class 2
- U-Back Stripe Pattern
- Mesh Polyester Material



High-Visibility Vest, Solid Polyester, Hook and

- ANSI Type R, Class 2
- U-Back Stripe Pattern
- Solid Polyester Material

Model	Brand	Size	Color	Safety Vest Style	Chest Size	Closure	# of Horizontal Stripe
High-Visibility Ves	t, Mesh Polyeste	er, Zipper Clo	sure				
S6-101-LM	Olympia	М	Lime	Standard	48"	Zipper	1
S6-101-0M	Olympia	M	Orange	Standard	48"	Zipper	1
S6-101-LL	Olympia	L	Lime	Standard	50"	Zipper	1
S6-101-0L	Olympia	L	Orange	Standard	50"	Zipper	1
\$6-101-LXL	Olympia	XL	Lime	Standard	54"	Zipper	1
S6-101-0XL	Olympia	XL	Orange	Standard	54"	Zipper	1
S6-101-LXXL	Olympia	2XL	Lime	Standard	58"	Zipper	Ī
S6-101-0XXL	Olympia	2XL	Orange	Standard	58"	Zipper	1
High-Visibility Ves	t, Mesh Polyeste	er, Hook and	Loop Closure				
S6-104-LM	Olympia	М	Lime	Standard	48"	Hook-and-Loop	1
S6-104-LL	Olympia	L	Lime	Standard	50"	Hook-and-Loop	1
S6-104-LXL	Olympia	XL	Lime	Standard	54"	Hook-and-Loop	1
S6-104-LXXL	Olympia	2XL	Lime	Standard	58"	Hook-and-Loop	1
High-Visibility Ves	t, Solid Polyeste	r, Hook and I	Loop Closure				
S6-102-LM	Olympia	М	Lime	Standard	48"	Hook-and-Loop	1
S6-102-0M	Olympia	М	Orange	Standard	48"	Hook-and-Loop	1
S6-102-LL	Olympia	L	Lime	Standard	50"	Hook-and-Loop	1
S6-102-0L	Olympia	L	Orange	Standard	50"	Hook-and-Loop	1
S6-102-LXL	Olympia	XL	Lime	Standard	54"	Hook-and-Loop	1
S6-102-0XL	Olympia	XL	Orange	Standard	54"	Hook-and-Loop	1



# **High-Visibility Vests**

Model	Brand	Size	Color	Safety Vest Style	Chest Size	Closure	# of Horizontal Stripe
S6-102-LXXL	Olympia	2XL	Lime	Standard	58"	Hook-and-Loop	1
S6-102-0XXL	Olympia	2XL	Orange	Standard	58"	Hook-and-Loop	1



## **Boot & Shoe Covers**



### Slip-Resistant Boot & **Shoe Covers**

- Slip Resistant Sole
- Durable Polypropylene Construction

Model	Brand	Material	Material Style		Closure Type	Color	Size
Slip-Resistant Boo	ot & Shoe Covers						
S7-101-BU	NorthSky Select	Polypropylene	Heat-Sealed	Yes	Elastic	Blue	Universal



# **Respiratory Protection**



### Disposable Nuisance Dust Masks

- Comfortable Protection
- Dust Protection
- Safe and Non-Irritating



### **N95** Respirators without **Exhalation Valve**

- PE Material
- Foldable Design
- Color White



### N95 Respirators with **Exhalation Valve**

- PE Material
- Foldable Design
- Color White



## **N95** Respirators without **Exhalation Valve**

- PE Material
- Foldable Design
- Color White

Model	Brand	Mask Headstrap Type	Nosepiece Type	Face Seal Type	Color	Mask Size	Individually Packaged
Disposable Nuisa	nnce Dust Masks						
S5-101	Olympia	Single; Non-Adjustable	Metal Nose Clip	None	White	Universal	No
N95 Respirators	without Exhalation Valve						
10087	NorthSky Select	Dual, Non-Adjustable	Metal Nose Clip	Standard	White	Universal	No
N95 Respirators	with Exhalation Valve						
10088	NorthSky Select	Dual, Non-Adjustable	Metal Nose Clip	Standard	White	Universal	No
N95 Respirators	without Exhalation Valve						
10091	NorthSky Select	Dual; Non-Adjustable	Metal Nose Clip	Standard	White	Universal	No



# **Clamp Meters**



### Digital Clamp Meter, 1000 A, CAT III 1000V

- Inrush Current Test
- Maximum/Minimum Value Recording
- Data Hold

Model	Brand	Jaw Type	Min Max. AC Voltage	MinMax. DC Voltage	MinMax. AC Current	Max Amps	Calibration Certificate
Digital Clamp Me	ter, 1000 A, CAT III 1000V						
T9-102	Black Canyon	Clamp-Jaw	6 V - 750 V	6 V - 1000 V	60 A - 1000 A	1000 A	No



## **Multimeters**



### Digital Multimeter, 1000 **V, CAT III 1000V**

- Relative Value Measurement
- Data Hold
- Backlight Display

Model	Brand	Style	Calibration Certificate	AC Response Calculation	Maximum AC Voltage	Maximum DC Voltage	Maximum AC Current
Digital Multimete	r, 1000 V, CAT III 1000V						
T9-101	Black Canyon	Full Size	No	TRMS	1000 V	1000 V	20 A



## **Sound Level Meters**



### **Sound Level Meter**

- Enhanced Measurement Features
- Overrange Indication
- Max/Min Measurement Mode

Model	Brand	dB Range	Frequency Frequenc Range Weighting		Accuracy	Interface	Display
Sound Level Meter							
T9-103	Black Canyon	30 dB to 130 dB	30 Hz to 8 KHz	А	±1.5 dB	No	LCD



# **Tarps**



## **Heavy Duty Tarps**

- Waterproof Armor
- UV-Resistant Shield
- Built to Last

Model	Brand	Cut Size	Finished Size (W x L)	Thickness (mil)	Tarp Resistant Features	Tarp Finished Width	Color
Heavy Duty Tarps							
F1-102-68	NorthSky Select	6×8 ft	6×8 ft	10.5 mil	Tear Resistant	6 ft	Silver-Black
F1-102-810	NorthSky Select	8×10 ft	8×10 ft	10.5 mil	Tear Resistant	8 ft	Silver-Black
F1-102-1012	NorthSky Select	10×12 ft	10×12 ft	10.5 mil	Tear Resistant	10 ft	Silver-Black